



## Cumulative Index 2003

### Volume 15

March	INFECTION AND SEPSIS, pages 1–142
June	MILITARY DISASTER NURSING, pages 143–288
September	COMPLEMENTARY AND ALTERNATIVE THERAPIES IN CRITICAL CARE, pages 289–406
December	CONGESTIVE HEART FAILURE, pages 407–548

Note: Page numbers of article titles are in **boldface** type.

### A

- Abbott Northwestern Hospital (ANW). See *Cardiovascular integrative therapy program*.
- Active listening, in end-of-life comfort care, 356  
for family comfort, with dying process, 360
- Advanced directive, in end-of-life comfort care, 357
- ADVanced escheLON (ADVON) team, 197
- Aeromedical evacuation (AE), aircraft for, 218–219  
crews for, 216  
critical care air transport team in, 220–225  
enplaning patients, 218–220  
environment of, research in, 216  
flight nurse and, training and qualifications for, 215–216  
military aircraft environment of care in, 171–172  
in military operations other than war, 219  
mission of, Doctrine for Health Services Support and, 218–219  
global presence in, 216  
in-flight patient care and, 217, 219  
worldwide, 216–217  
worldwide mobility of, 216–217, 219
- Aeromedical isolation team (AIT), for biological safety level-4  
aircraft flight training for, 247  
courses for, 246–247  
history of, 243–244  
personnel on, 244
- African Americans, health beliefs and practices of, 344
- Aircraft carriers, with Amphibious Readiness Group, 231  
ICU on, 229  
medical department on, physical facilities, 228–229  
staff, 229–230  
operating room on, 230
- Aircraft transit isolators (ATI), for biological safety level-4, design and concept of, 243–246
- Air Force nursing, environment of care and, 172  
environment of care in, 171–172  
unique characteristics of, 171–173  
Wilford Hall Medical Center research program and, 171–172
- Air Force theater hospital (AFTH), expeditionary medical support and, 197
- AIT. See *Aeromedical isolation team (AIT)*.
- Alcohol abuse, bacterial infection in, 73–74  
malnutrition in, 73
- Aldosterone, in heart failure, pathophysiologic consequences of, 415–416
- Alternative medicine, Office of Alternative Medicine and, 290
- Alternative therapy. See also *Complementary and alternative therapy (CAT)*.  
definition of, 289, 363
- Altitude, hemodynamic monitoring and, 178  
hypoxemia and, 178  
suction pressure and flow and, 178

- American Association of Critical Care Nurses (AACN), complementary and alternative therapies and, 387
- nursing content in baccalaureate curricula and, 387
- survey of, for personal use of complementary and alternative therapies, 393
- survey of end-of-life care, 356
- American Association of Critical Care Nurses Certification Corporation, Synergy Model, 299
- Amino acids, in enteral nutrition, in sepsis, 76
- Amiodarone, interaction with digoxin, 450
- Amphibious assault ships, forward surgical team on, 232-233
- critical care nurse on, 233
- ICU on, 230, 232
- landing Marine Expeditionary Unit, 229
- operating room on, 230
- receiving and treating casualties, 229-230, 233
- treatment room on, 230, 234
- ward on, 230, 233
- Anaerobic gram-positive rods, in bacterial sepsis, neonatal, 41
- Angiotensin-converting enzyme (ACE) inhibitors
- actions of, 425-426
- benefits of, 426
- in diastolic heart failure, 498
- in heart failure, **423-437**
- aspirin use with, 430
- in blacks, 429-420
- dosage, optimal, 429
- in elderly, 429
- mortality and, major clinical trials results, 427
- patient outcomes and, 426
- prevention of, 426-427
- with renal insufficiency, 459
- side effects with, 433-434
- underuse, 428-429
- versus vasodilators, 424
- Angiotensin I, 413-414, 417
- Angiotensin II, 413-415, 417
- formation and effects of, 423-424
- pathophysiological consequences of, 414
- Angiotensin II receptor blockers, **423-437**
- in heart failure, versus ACE inhibitors, controversies in use of, 431, 433
- side effect profile advantage in, 433-434
- actions of, 430-431
- benefits of therapy with, 431
- randomized trials of, 432-433
- Anorexia, malnutrition in, diagnosis of, 71
- immune suppression and infection in, 72-73
- treatment of, 73
- Antibiotic administration, economics of, **89-96**
- burden of payment in, 91-92
- clinician's perspective, 89-90
- contagion and resistance in, 93-94
- cost-effectiveness in, 90-93
- cost per life-year in, 90
- economist's societal perspective, 90
- externalities in, 93-95
- policy solutions in, 94-95
- private market economy approach in, 91
- studies of, 92-93
- Antibiotics, in cancer patient, and associated infection, 115-117
- prophylactic, 113-114
- in pelvic inflammatory disease, 65-66
- in sepsis and septic shock, 22
- Anxiety, aromatherapy for, 334-335
- complementary and alternative therapy reduction of, **321-327**
- sleep disruption and, 331
- sleep disturbance and, 331
- therapeutic touch for, 336
- Arachidonic acid, cellular response to, in septic shock, 16
- Arginine, in enteral nutrition, in sepsis, 77
- Army chemical/biological SMART (SMART-CB) team, **251-258**
- Aromatherapy, for anxiety, 334-335
- in end-of-life comfort care, 360
- in healing environment, 298
- history of, 322-323
- for sleep promotion, 334-335
- for stress and anxiety reduction, 322-323
- studies of, 323
- 323
- ATI. See *Aircraft transit isolators (ATI)*.
- Attitudes, nurses', toward complementary and alternative therapies, 291
- national survey of, 292-294
- Automimmune disease, sex differences in, 59-60
- B**
- Baccalaureate curriculum, complementary and alternative therapies integration in, **373-379**
- in clinical practicum, 377-378

- in critical care didactic course, 376-377
  - importance of, 373-374
  - patient use of complementary and alternative therapies and, 376
  - recommendations for development and implementation, 378
  - safety and efficacy of CAT in, 376-377
  - School of Nursing subcompetencies, 374-375
  - self-reflection and self-care in, 378
  - strategies for, 374, 376
  - University of Minnesota core competencies and, 374-375
- Baccalaureate programs, cultural competence in, 342
- Back massage, 299
- for sleep promotion, 331, 334
- Bacterial infection. *See also Infection.*
- cellular basis of, 1-11
  - maternal, and neonatal sepsis, 36
- Bacterial sepsis, neonatal, 35-46
- antibacterial agents for, 42-43
  - bacteria causing, gram-negative anaerobic rods, 42
    - gram-negative cocci, 41
    - gram-negative rods, 41-42
    - gram-positive cocci, 40-41
    - gram-positive rods, 41
  - history of, 39
  - behavioral assessment in, 37-38
  - characteristics of, 35
  - clinical signs of, 36-37
  - diagnosis of, 38-39
    - new tools in, 38-39
  - laboratory assessment in, 38
  - organ system assessment in, 38
  - predisposing factors for, 35-37
  - prognosis in, 43-44
  - supportive therapy for, 43
- Beta-adrenergic blockers, in chronic heart failure, 439-446
- assessment and monitoring of, 445
  - classification of, 440
  - clinical use of, 441, 444-445
  - in combination therapy, 440-441, 444
  - discontinuation of, 444-445
  - dosage and administration of, 444
  - patient/family teaching and, 445
  - side effects of, 444
  - studies of, 440-443
- in diastolic heart failure, 498
  - in heart failure, adverse effects of, 440
    - clinical trials of, 442-443
- Biological safety level-4 (BSL-4), aircraft patient transport and, 243-248
- aeromedical isolation team for, 243-244
    - training for, 245-247
  - aircraft transit isolators for, 243-245
  - operational team for, 245-246
  - personal protective equipment for, 245
- care in, 239-249
- characteristics of, 239
  - patient care suite for, 240-243
    - admission records, USAMRIIDS, 241
    - disinfectant shower in, 242
    - engineering design of, 242
    - entry and exit of supplies and, 242
    - nursing challenges, 242-243
    - personal protective equipment for, 241-242
    - security and, 241
    - specialized training for, 243
- Bisoprolol, in heart failure, 441, 444
- Blue water nursing, 227-237. *See also Shipboard nursing.*
- Bradykinin, cellular response to, in septic shock, 16
- Breathing exercise, for family, 352
- B-type natriuretic peptide, as diagnostic tool, 462
- in heart failure, 461-465
  - recombinant form. *See Nesiritide (Natrecor).*
- Bucindolol, in heart failure, 441
- 
- ## C
- Calcium channel blockers, in diastolic heart failure, 498
- CAM (complementary and alternative medicine). *See Complementary and alternative therapy (CAT).*
- Cancer, immunosuppression in, infections and, 109-112
- management of, 113-115
  - treatment of, 115-117
  - sepsis and, 109-118
- Captopril, in heart failure, 427, 433
- Carcinogenic risk, herbs as, 315
- Cardiopulmonary resuscitation, on NATO litter, 180
- Cardiovascular disease, complementary and alternative therapies use in, studies of, 308-310
- Cardiovascular integrative therapy program, complementary and alternative therapies in, 363-372

- clinical program manager in, 365
  - development areas for, 365
  - expansion of vision, 368-371
    - healing environment model in, 369-370
    - holistic nursing practice for, 370-371
    - patient care model for, 368-369
  - funding proposal for, 364-365
  - growth of, cost issue and, 366-367
    - staff expansion in, 367-368
  - inception and development of, 364-365
  - initiation and enhancement of, 365
  - literature review for, 364
  - new hospital planning, 368
  - patient services in, 365-366
  - prevention and lifestyle management
    - outpatient program, 371
  - research and, 368
- Cardiovascular system, in sepsis, 28-29
- Care givers, of dying patient, debriefing/grief work with, 361-362
  - education for, 362
- Caring practices. See also *Compassionate caring*.  
defined, 299-300
- Carvedilol, in heart failure, 444
  - from idiopathic dilated cardiomyopathy, 519
- Casualty, contaminated, 185-186
  - progression to hospital ship, battalion aid station, 208
  - battle zone, 208
  - combat zone fleet hospital, 209
  - evacuation to noncombat zone hospital, 209
  - surgical company, 209
- Casualty Receiving and Treatment Ships (CRTS). See *Amphibious assault ships*.
- CAT. See *Complementary and alternative therapy (CAT)*.  
attitudes toward, nurses', 292-294  
barriers to use of, 326  
continuing education in, 311  
critical care nurse and, on critical care unit, 390
  - expansion of, 390-391
  - as individuals, 390
  - literature review of, 394-395
  - as national organization, 390
  - national survey of personal use of, 397
    - correlates of, 397-398
    - demographic and professional data and, 395-396
    - methods, 395-396
  - personal and professional use of, 394-395
  - personal use of, 393-399
    - factors associated with, 395
  - cultural competence and, 341-346
  - culture-specific, 342-345
    - African, 344
    - in Chinese medicine, 344-345
    - Mexican American, 343-344
    - Native American, 342-343
  - definition of, 393
  - emergence of, 387-388
  - federal policy and, 381-386
    - professional representation and, 383-384
  - future of, 387-392, 390
  - institutional receptivity to, 291
  - integration in baccalaureate nursing program, 373-379
  - nursing's role in, 388
  - Nursing Summit on, 388-389. See also *Nursing Summit*.
  - patient use of, assessment of, 309-310
  - personal use by critical care nurse, 393-399
  - to promote comfort, of families with dying process, acceptance of death, 360-361
    - active listening, 360
    - environment and, 361
    - presence, 361
  - research in, National Center for Complementary and Alternative Medicine (NCCAM), 388
  - in sleep promotion, 329-340
  - for stress and anxiety, 321-327
    - aromatherapy, 322-323
    - humor, 323-324
    - hydrotherapy, 323
    - imagery, 324
    - massage, 324
    - music, 324-325
    - relaxation, 325-326- CCATT. See *Critical care air transport team (CCATT)*.
- Cefoxitin, in pelvic inflammatory disease, 65-66
- Ceftriaxone, in pelvic inflammatory disease, 65
- Central nervous system, in sepsis, in infants and children, 49
- Chemical/Biological Incident Response Force (CBIRF), US Marine Corps, 252
- Chemical/biologic environment, patient contamination and, 254-256
  - personal protection in, 256-257
  - receiving patients from, 256

- Chemical/biologic incident, decontamination of casualty in, 185-186  
patient care during, 256-257
- Chemical/biologic threat, 251-252  
national response to, 252-253  
signs of potential attack, 252
- Chest radiography, in heart failure, in outpatient management of, 503-504
- Chinese medicine, acupuncture in, 344  
herbal preparations in, 344-345  
herbal remedies in, 313  
*qi* in, 344
- Chinese population, complementary and alternative therapy use by, 307
- Chlamydia trachomatis, in pelvic inflammatory disease, 67
- Circulatory system, in sepsis, in infants and children, 49
- Clindamycin, in pelvic inflammatory disease, 66
- Coagulation pathway, in septic shock, 20-21
- Combat care, historical background of, 191-192
- Comfort, promotion in dying patients, barriers to, 355-356  
CAT in, 355-362  
acceptance of death, 356-357  
active listening, 356  
aromatherapy, 360  
contracting/advanced directive, 357  
everyone on the same page, 357-358  
humor, 360  
music therapy, 359  
pain control, 358  
pet therapy, 359-360  
presence, 358  
spiritual care, 357  
touch, 358-359  
Study to Understand Prognoses and Preferences for Outcomes and Risks of treatment and, 355-356
- Comfort care, at end of life, complementary and alternative therapies in, 355-362
- Communication, about complementary and alternative therapies, patient-medical team, 310
- Compassionate care, 295
- Compassionate caring, presence in, 299-300
- Complementary and alternative therapy (CAT), definitions in, 289-290  
delivery of, conditions for positive outcomes, 292  
model for, 290-292  
nursing roles and responsibilities, 292  
evolution of, at national level, 290  
institutional receptivity to, 291  
review of surveys, 305-312  
in cardiovascular disease patients, 308-310  
in emergency department, 306-308  
method for, 305-306  
in preanesthesia, 307-309  
in solid organ transplant patients, 307, 309  
use of, nursing's role in, 289-294
- Complementary therapy, definition of, 289, 363
- Congestive heart failure. See also *Heart Failure*.  
diuretic management in, 453-460  
case presentation, edema and dyspnea in coronary artery disease, diabetes, and osteoarthritis, 453-454  
furosemide dosage for effectiveness, 457  
hyperkalemia in, 458-459  
loop diuretic resistance in, 457  
volume and potassium depletion in, 457  
classes of diuretics, site of action in, 454-455  
effects on, of nonsteroidal antiinflammatory drugs, 455  
of proteinuria, 456  
of renal failure, 456  
furosemide, failure of, 454-455  
ineffectiveness of dosage increase and frequency, 456-457  
prescription of diuretic for negative sodium balance, 455-456  
pacing and, 468-469
- Contracting, in end-of-life comfort care, 357
- Coronary artery bypass grafting (CABG), in diabetes mellitus patient, surgical wound infection in, 130-133  
with left ventricular aneurysmectomy procedure, 483, 485
- Coronary revascularization, for chronic heart failure, 478-480  
myocardial viability and outcome of, 478-479  
preoperative left ventricular volume and, 479
- Critical care air transport team (CCATT), 220-225  
duty/rest cycle day of, 221-223  
equipment for, 221-222  
flying ICU and, 221  
history of, 220-221  
in joint trauma training center study, 150

- members of, 221
  - nurses on, challenges and opportunities, 223-225
  - operations since Desert Shield/Desert Storm, 225
  - training for, 221-222
- Critical care nursing, characteristics of, 389
- integration of complementary and alternative therapies into, 389
- Cultural competence, in baccalaureate programs, 342
- in interpersonal interactions, 342
  - patient use of complementary therapies and, 342
  - requirement for, 341-342
- Culture, complementary and alternative therapies and, 341-346
- Curanderismo, health practices of, 343-344
- Cytokines, in infection and sepsis
- cascade of, 15, 20
  - overview of, 14-19
  - release of, triggers for, 15
  - in septic shock, cellular response to, 16-19
- Cytomegalovirus infection, in heart transplant recipient, 100
- 
- D**
- Dan shen (*Salvia miltiorrhiza*), warfarin interaction and, 316
- Death, acceptance of, by family, 360-361
- by patient, 356-357
- Debriefing, for care givers, of deceased patient, 361-362
- Dehydration, prevention of, during air transport, 177-178
- Delirium, on ICU, 321-322
- Deployable ready assembly surgical shelter (DRASH), 192
- Diabetes mellitus, hyperglycemia in, immune system effects of, on chemotaxis, 127-128
- on immunoglobulin function, 125
  - on opsonization, 128
- postoperative infections and, glycemic control and, 130, 134
- pathophysiologic explanations of, 129
  - physiologic changes and, 127
  - preoperative patient assessment and, 134
  - risk of, 126-127
  - stress response and, 125
  - surgical stress and, 129-130
  - of surgical wound, 130-133
- Diet, in heart failure, 505-506
- Digoxin, in diastolic heart failure, 498-499
- in heart failure, 447-452
  - adverse effects of, 451
  - clinical evidence for, 447-448
  - drug interactions with, 450
  - safe use of, 449-450
  - serum levels of, 448-449
  - serum monitoring and, 450-451
  - toxicity and, 449-450
  - in ischemic heart failure, 448
- Disaster needs, hospital ships and, 189
- Diuretics, in diastolic heart failure, 498
- dosage to induce negative sodium balance, 455-456
  - NSAIDS effect on, 455
- Dominican population, complementary and alternative therapy use by, 307
- Don quai (*dang gui*, *Angelica sinensis*), antithrombotic effect of, 316
- Drotrecogin alfa (activated), for sepsis, 31-32
- 
- E**
- ECCT. See *Expeditionary critical care team (ECCT)*.
- Echocardiography, in heart failure, in outpatient management of, 504
- Education, in death and dying, for care givers, 362
- Electrocardiography, in heart failure, in outpatient management of, 503
- EMEDS. See *Expeditionary medical support (EMEDS)*.
- Emergency department, complementary and alternative therapies in, staff use of, 310
- survey of patient use, 306-308
- Emotional intelligence, 297
- in family centered care, 300
  - development of, 302
- Enalapril, in heart failure, 426-428
- End-of-life considerations, comfort at. See *Comfort, promotion in dying patients*.
- in heart failure, outpatient management of, 507
- Endothelium, vascular, in septic shock, 20
- Enteral nutrition, early, postoperative, guidelines for, 74-75
- in sepsis prevention, 74

- in premature infants, 79-87. See also *Neonate, gut in.*
  - clinical implications, 84
  - gut immune defense studies, 82, 84
- in sepsis, 75-77
- studies of, 80, 82-84

Enterobacteriaceae, in bacterial sepsis, neonatal, 41-42

Enterococci, in bacterial sepsis, neonatal, 41

Environment. See also *Healing environment.*

- for family comfort, with dying process, 361
- sleep disturbance and, 330

Epstein-Barr virus infection, in heart transplant recipient, 100

Exercise testing, in heart failure, outpatient management of, 504
 

- in outpatient management of, 504

Expeditionary critical care team (ECCT), on SPEARR team, 198

Expeditionary medical support (EMEDS), 197-206

ADvANCED escheLON team and, 197

modular packages in, 197-198

in Operation Enduring Freedom, decontamination teams in, 201

disaster teams and, 205

EMEDS hospital in, aeromedical staging

facility and, 204

ancillary services tent and, 204

communication blackout and, 202

computed radiology system, 204

emergency services for personnel, 203

ICU in, 203-204

infection control and, 205

life skills tent and, 204

medications dispensed, 203

operating room in, 203

public health personnel and, 204

set up of, 202

ward in, 204

medical technicians in, 201-202

need for portable Doppler ultrasound, 206

patient care providers in, 201

in Operation Houston, accomplishments of 591st

Expeditionary Medical Squadron, 199-200

deployment of teams, 199

future needs learned, humanitarian upgrade

package, 200

infection control issues, 201

linen, 200

needleless intravenous supplies, 201

upgrade of portable beds, 200-201

small portable expeditionary aeromedical rapid response (SPEARrr) team and, 198-199

training course for, 198

## F

Family, acceptance of death, 360-361

brief assessment of, complementary and alternative therapies and, 348-349

comfort with dying process, active listening and, 360

environment and, 361

presence and, 361

of deceased, follow-up with, 361

family centered care for, compassionate caring in, 299-300

definition of, 300

emotional intelligence in, 300, 302

importance of, 301

key elements of, 300-301

nurses' interactions in, 301-302

synergy of healing and, 299-302

in family-focused care, as provider of complementary and alternative therapies, 348-350

as recipient of complementary and alternative therapies, 351-352

example of, 352

role of, in critical care, 347-348

family-focused care for, 347-354

needs in, Critical Care Family Needs Inventory of, 347

provider participation in complementary and alternative therapies, 348-350

purpose of, 349

selection and timing for, 349

teaching for, 350-351

of heart failure patient, 515-516

Family education, biventricular pacing and, 479

Family systems theory, in sepsis in newborns and children, 50-53

Fats, in enteral nutrition, in sepsis, 76

FCC. See *Family-focused care (FCC).*

Federal policy, agenda for complementary and alternative therapies, 381

complementary and alternative therapies and, agenda for, 385

plan for nursing, 384-385

representation from supporters and opponents and, 385

formation process in, stakeholders in, 382-383

at WHCCAMP, 382



- Fleet hospital, design concept of, 207
- Fleet Hospital Five, ISO modules, 207-208
- TEMPER tents on, 207-209
- treatment areas in, 207
- Flight Nurse's Creed, 215
- Fluid resuscitation, in septic shock, 22-23
- Folklore medicine, as complementary and alternative therapies, 341
- Foot massage, as complementary therapy, 350-351
- Forward surgical team (FST), administration of, 195
- on amphibious assault ship, 232-233
- army, 191-196
- capabilities of, 192-193
- challenges of, 194
- combat care history and, 191-192
- concept of, 192
- definition of, 191
- deployable ready assembly surgical shelter for, 192
- general purpose tent for, 192
- mission of, 192
- Navy, assignment to, 230
- nursing responsibilities on, 195
- operating room for, 193
- organization of, administrative/operations, 193-194
- recovery/holding area, 193-194
- triage trauma management, 193
- postoperative care unit/ICU, 193
- recent missions of, 195-196
- training for, civil trauma center in, 194
- in soldier tasks, 194-195
- through support of military combat unit, 194
- Furosemide, failure of, 454-455
- mechanism of diuresis and natriuresis, 454-455
- in patient with heart failure, coronary artery disease, osteoarthritis, diabetes mellitus, in combination with thiazide diuretic, 457-458
- dosage and dosage regimen in, 457
- resistance to, 454-455
- volume and potassium depletion and, 457-458
- G**
- Gardnerella vaginalis*, in pelvic inflammatory disease, 67
- Garlic (*Allium sativum*), postoperative bleeding and, 316
- Gastrointestinal system, gut luminal starvation and, 80
- as immune organ, 80-82
- infections in, in heart transplant recipient, 103
- pathophysiology of NPO and, 80
- in sepsis, 30
- in infants and children, 49
- Genitourinary system, in sepsis, in infants and children, 49
- Ginkgo (*Ginkgo bilboa*), warfarin interaction with, 316
- Ginseng (*Panax ginseng*), warfarin interaction with, 316-317
- Global presence, 215-226
- Glucose, in enteral nutrition, in sepsis, 76
- Glutamine, in enteral nutrition, in sepsis, 76-77
- Gram-negative anaerobic rods, in bacterial sepsis, neonatal, 42
- Gram-negative cocci, in bacterial sepsis, neonatal, 41
- Gram-negative rods, in bacterial sepsis, neonatal, 41-42
- Gram-positive cocci, in bacterial sepsis, neonatal, 41
- Gram-positive rods, in bacterial sepsis, neonatal, 41
- Grief work, for care givers, 361-362
- Guided imagery, by family, 349
- for sleep promotion, 335
- for stress and anxiety reduction, 324
- H**
- Haemophilus influenzae*, in bacterial sepsis, neonatal, 42
- Hand massage, as complementary therapy, 351
- Healing, holistic philosophy of, 295
- Healing environment, aromatherapy in, 298
- creation of, 295-304
- hydrotherapy in, 298-299
- light reduction for, 297-298
- massage in, 299
- noise reduction for, 298
- organizational model for, 295-297
- common health values in, 296
- humanistic environment in, 295-296
- patient/family centered care in, 296



- promotion of employee and physician growth in, 296-297
  - pet assisted therapy in, 209
  - spiritual environment and, 299
- Healing the Heart Program. See *Cardiovascular integrative therapy program*.
- Healing touch, in end-of-life comfort care, 359
- Health, organizational model of, 295-297
- Heart Failure. See also *Congestive heart failure*.
- Heart failure, absence of AV synchrony in, 468
- advanced, surgical options for, 492
  - atrioventricular synchrony and, management of, 469
  - biventricular pacing for, electrocardiogram and, 473-474
  - bradycardia in, management of, 469
  - bundle-branch block in, hemodynamic effects of, 468
  - calcium handling in, 497
  - case studies in, **519-523**
    - ACE inhibitor-intolerant patient, alternative therapy for, 521-522
    - advanced failure, combination phosphodiesterase inhibitor- $\beta$ -blocker therapy in, 520-521
    - idiopathic dilated cardiomyopathy, beta-blocker therapy for, 519
    - past history of chemotherapy for lymphoma, strategies for adjustment to ACE inhibitor therapy, 522-523
  - chronic, description of, 440
  - devices for, cardiac resynchronization therapy, 527-528
    - implantable defibrillator, 528
    - implanted hemodynamic monitor, 528
    - investigational, 528-529
    - left ventricular assist systems, 527
    - ultrafiltration devices, 527-528
  - diastolic, 495
    - mechanisms of, 496-497
  - end-stage, heart transplantation for, **489-494**
  - eras of therapy for, 525-526
    - ACE inhibition in, 526
    - $\beta$ -blockers in, 516
    - cellular/genetic, 526, 529
    - device era, 527-530
    - 1970s fluid restriction, diuretics, bed rest, 526
    - 1980s pharmacologic, 525-526
    - suppression of neurohumoral cascade in, 526-527
    - future therapies for, **525-530**
  - hospitalization for, 439, 477, 525
  - incidence of, 477
  - ischemic disease with, ventricular shape in, 481-483
  - left ventricular diastolic dysfunction, diagnosis of, 497
    - pulmonary edema in, acute, 499
    - treatment of, exercise, 499
      - pharmacotherapy, 498-499
      - recommendations with preserved systolic function, 497-498
  - left ventricular diastolic function, normal and abnormal, 496
  - left ventricular dysfunction in, mortality rate in, 525
  - morbidity and mortality rates in, 467, 477
  - outpatient management of, **501-509**
    - activity in, 506
    - alcohol use in, 506
    - assessment in, 501-504
    - cardiac catheterization and angiography in, 504
    - chest radiography in, 503-504
    - compliance in, 506-507
    - diet in, 505-506
    - echocardiography in, 504
    - electrocardiogram in, 503
    - end-of-life considerations, 507
    - exercise testing in, 504
    - history in, 501-502
    - laboratory tests, 503
    - models of, 501
    - nonpharmacologic issues in, 505-507
    - palliative care and hospice in, 507-508
    - patient education in, 505
    - pharmacologic issues in, 504-505
    - physical examination in, 502-503
    - telemanagement in, 507
  - patient adjustment to, 512
  - prevention of, Heart Outcomes Prevention Evaluation study of, 428
  - resynchronization therapy for, **467-475**
    - biventricular pacing, 470-471
      - placement of device and leads, 471-472
      - ventricular pacing, 469-470
    - resynchronization therapy for, biventricular pacing for, candidates for, 472
      - continuous cardiac monitoring of, 473
      - lead selection for, 473
      - limitations of, 473
      - patient and family education for, 474
      - placement of device and leads in, 471-472
      - QRS interval in, 473-474

- biventricular pacing-implantable cardioverter defibrillator combination in, 470-472
  - biventricular pacing in, trials of, 470-471
  - surgery for, excision patch-plasty, 528-529
  - surgical management of, 477-487
    - coronary revascularization, 478-480
    - investifational approaches in left ventricular systolic dysfunction, 484
    - mitral valve repair, 480-481
    - to restore left ventricular geometry, 481-485
    - systolic, 495-496
  - ventricular asynchrony and, 468
  - ventricular remodeling and, 413, 467-468
  - ventricular reshaping in, left ventricular aneurysmectomy procedure, modified, 484
  - surgical procedure for, names of, 483
  - ventricular shape in, 481-482
- Heart transplantation, contraindications to, 491
- for end-stage heart failure, 489-494
  - evaluation for, 490-491
    - consults in, 490
    - testing in, 490
  - goal of, ultimate, 493
  - historical perspective on, 489
  - immunosuppression for, 492
    - new drugs in, 492
  - indications for, 489-490
  - psychosocial screening for, 491
  - United Network of Organ Sharing criteria for, 491-492
  - xenotransplantation and, 492-593
- Heat exhaustion, from Mission Oriented Protective Posture gear, 185-186
- Heat illnesses, 163-164
- body temperature regulation and, set point range in, 164
  - skin blood flow in, 164
  - C-reactive protein release in, 163-164
  - heat shock protein 70 in, 163
  - heat stroke, 163
  - impact on combat unit, 163
  - literature review, 164-169
  - proinflammatory cytokine activation in, 163
- Heat stress, biochemical manifestations, implications for military nursing research, 166-167
- exercise and, endotoxin release into central circulation in, 166
  - enzyme release in, 166
  - heat dissipation during, 165
    - failure of, biochemical effect of, 166
  - heat generation during, 165
  - heat stress protein 70 in, 166
  - leukocytosis in, 166
  - proinflammatory cytokine release and effects in, 166-167
  - proinflammatory effects of in exercising marines, 167-170
  - proinflammatory mediators in, 163-170
  - and rhabdomyolysis in exercising marines, 163-170
- Hematologic system, in sepsis, 29-30
- Hematopoietic system, in sepsis, in infants and children, 49
- Hemodynamic response, to septic shock, 21
- Hepatic system, in sepsis, 30
- Hepatitis B and C infection, in heart transplant recipient, 100-102
- Herbal medicine, case report of hypertension crisis and respiratory failure, 314-315
- misconceptions about, 313
  - safe use of, 314
  - use of, 313-314
- Herbs, with adverse effects, dan shen, 316
- dong quai, 316
  - ginkgo, 316
  - ginseng, 316-317
  - kava, 317
  - St. John's wort, 317
  - valerian, 317
  - with antithrombotic effects, 315
  - in Chinese medicine, 344-345
  - use of, prevalence of, 313
- Herpes simplex virus, in pelvic inflammatory disease, 67-68
- Histamine, cellular response to, in septic shock, 16
- Holism, 295
- Hospital ships. See also *US Navy combatant ships*.
- casualty progression to and from, 208-209
  - conversion of ship to hospital capability, 189
  - T-AH Mercy class, 189
- Humanitarian needs, hospital ship and, 189
- Human patient simulator (HPS), 151, 153, 154, 156-158
- Humor, in end-of-life comfort care, 360
- therapeutic, 323-324
- Humoral immune deficiency, in cancer patient, infections associated with, 112
- treatment-induced, 111-112

Hydrotherapy, 298-299  
for healing, 323

Hyperkalemia, in renal insufficiency, in patient with heart failure, coronary artery disease, osteoarthritis, diabetes mellitus, 459

Hypertension, in cardiac remodeling, 409

Hypokalemia, digoxin toxicity risk of, 449  
from loop-diuretic combination therapy, 457-458

## I

ICU psychosis, 321  
sleep disruption and, 329

ICU syndrome, 321-322

Illness, sleep disturbance in, 330

Imagery. *See Guided imagery.*

Immune system, in sepsis, sex differences and, 55

Immune system deficiency(ies), in cancer patient, and associated infections, 110-112  
cell-mediated, 111  
granulocytopenia, 109-111  
humoral, 111-112

Immunizations, sex differences and, 55-56

Immunonutrition, in sepsis, 76

Immunosuppressive medications, for heart transplant patients, infection and, 104  
new drugs, 492

Infection. *See also Bacterial infection; Nosocomial infections.*

in cancer patient. *See also Immune system deficiency(ies).*  
assessment for, 112-113  
immune system deficiencies and, 109-111  
immunodeficiency-related, 109-112  
management of, central venous catheter care in, 113  
colony-stimulating factors in, 114-115  
prophylactic antibiotic therapy in, 113-114  
treatment of, 115-117

control of, in sepsis prevention, 31

in heart transplant recipient, **97-108**

case reports, 99, 103-104

donor-induced, 99

immunosuppression medications and, 104

late, cold and influenza, 102

gastrointestinal, 103

oral health and, 103

skin, 102-103

nursing considerations, in acute surgical period, 105

immunosuppressive medication, 104

patient and family teaching, 105

in recovery period, 105

perioperative, 99

posttransplant, opportunistic, 99-102

prophylaxis for, 99-102

screening pretransplant and, 98-99

host defenses against, 2-6

antibody-mediated responses, 7

cell-mediated responses, 7

cellular components in, 2-4

bacterial cell, 3

human cell, 2-3

external mechanisms, 4

internal mechanisms, 4

successful protection and, 6-7

malnutrition and, in alcohol abuse, 73-74

in anorexia nervosa, 73

plants as vectors of, **119-124**

postoperative, diabetes mellitus and, **125-136**

sex differences in, autoimmune disease and, 59-60

exposure and portals of entry, 58-59

following thermal injury, 59

immune system and, 55

immunizations and, 55-56

sex hormones and, 56-57

shock and, 60-61

successful:unsuccessful protection, 7-8

extracellular evasive actions, 8-9

intracellular evasive actions, 7-8

in women, in childhood/prepuberty, 57-58

in menopause, 58

menstrual cycle and, 57

in pregnancy, 58

Integrative medicine, definition of, 363

Integrative therapies, definition of, 289-290

Integumentary system, in sepsis, in infants and children, 49

Intensive care unit (ICU), in expeditionary medical support hospital, in Operation Enduring Freedom, 203-204

in flight, 221

for forward surgical team, 193

on hospital ship, 187

Interferons, cellular response to, in septic shock, 17

Interleukin, cellular response to, in septic shock, 16-17

International Standards Organization (ISO) unit, on hospital ships, 208-210

International trauma and disaster management, 269-276

Air Force Medical System and, key concepts in, 269-270

history of, 269-270

mobile education course for, 270-271

countries participating in, 271-272

modalities in, 272-276

objectives of, 271

outcomes of, 272

trauma institute, South Africa, 276

## J

Joint Commission on Accreditation of Healthcare Organizations (JCOAH), patient use of herbals and supplementals and, 310

Joint Trauma Training Center (JTTC) and USAF Nursing Warskills Simulation Laboratory response studies, 149-162

Joint Trauma Training Center (JTTC) study, of response readiness, 149-155

Ben Taub General Hospital, 149-150

military trauma team rotation and, 150-151

program design, 150-151

program outcomes, 153-155

simulation center, 151-152, 152

shock room in, 151-152

trauma surgery ICU in, 151, 153

Journaling, for family, 352

## K

Kava, hepatotoxicity of, 317

## L

Left ventricle, dilated, 481-482

function of, mitral valve role in, 480

normal, 481-482

Left ventricular aneurysmectomy procedure, coronary artery bypass grafting and, 484, 485  
modified, results of, 484

Leukotrienes, cellular response to, in septic shock, 18

Light, reduction of, for healing environment, 297-298

for sleep promotion, 336

Linsopril, in heart failure, 428

*Listeria monocytogenes*, in neonatal sepsis, 42

Loop diuretics, dosage to induce negative sodium balance, 455-456

Loss of control, sleep disturbance and, patient-nurse contracts and, 337

Lymphocytopenia, in cancer patient, 111  
infections associated with, 111

## M

Magnesium, depletion of, from loop-diuretic combination therapy, 458

Ma huang (ephedra), cardiovascular events with, 315

Malnutrition, definition of, 71

iatrogenic, 74

immune response and, 71-75

in infection and sepsis, 71-78

primary, alcohol abuse-related, 73-74

anorexia-related, 72-73

overview of, 71

secondary, iatrogenic, 74

overview of, 71-72

surgical, 74-75

Massage, 299

for anxiety reduction, 331

definition of, 331

by family, 349

guidelines for, feet and hands, 350-351

for sleep promotion, 331, 334

for stress and anxiety reduction, 324

Mechanical ventilation, music therapy with, 325

MedEvac helicopters, 191

Medication, sleep disturbance from, 330

Melatonin, for sleep, 337

Mexican Americans, health practices of, 343-344

MFST. See *Mobile field surgical team (MFST)*.

Military medicine, *versus* civilian trauma care, 210

Military operations other than war (MOOTW), 259

Military trauma team (MTT), in joint trauma training center study, 150-151

Military unique environment, critical care research program on, **171-181**

Mitral regurgitation, as clinical problem, 480

Mitral valve repair, in chronic heart failure, 480-481  
in heart failure with mitral regurgitation, effects of, 480-481

Mobile Army Surgical Hospital (MASH), 191

Mobile field surgical team (MFST), on SPEARR team, 198

Monocyte chemoattractant protein-1, in septic shock, 18

MOOTW. See *Military operations other than war (MOOTW)*.

MTT. See *Military trauma team (MTT)*.

Multiple organ dysfunction syndrome (MODS), in sepsis, 21

Music therapy  
for anxiety, 334  
in end-of-life comfort care, 359  
for sleep promotion, 334  
for stress and anxiety reduction, 324-325

Myocardial infarction, anterior wall, results of left ventricular reshaping following, 485

## N

National Center for Complementary and Alternative Medicine, 290

National Center for Complementary and Alternative Medicine (NCCAM), 388

Native Americans, health beliefs and practices of, 342-343

NATO litter, cardiopulmonary resuscitation on, 180  
skin pressure from, 175-177

Natriuretic peptides, atrial natriuretic peptide, 461

B (brain)-type, 461

C-type, 461

description of, 418

mechanisms of action of, 461-462

physiologic effects of, 418-419

in heart failure, 419

Navajo healers, health beliefs and practices of, 343

Navy hospital ships, **183-190**. See also *Fleet Hospital Five*.

casualty management on, case scenario, 188-189  
casualty receiving and, 187

of contaminated casualty, 185-186  
equipment and clinical support services in, 187  
operating room or holding unit, 187  
postanesthesia care and intensive care units, 187-188

transport to ship, 186-187

triage on flight deck, 186

wards, 188

historical review of, 183-184

staff for, assignment of, 184

education of, 184-185

orientation of, 184

training of, 184-185

Navy nurse anesthetists, Fleet Hospital Five, **207-214**

Navy nursing. See also *Shipboard nursing*.

Surface Warfare Medical Department Officer and, 235-236

Neisseria gonorrhoeae, in pelvic inflammatory disease, 67

Neonate, bacterial sepsis in, **35-46**. See also

*Bacterial sepsis, neonatal*.

assessment of, 37-38

bacteria causing, 39-42

characteristics of, 35

predisposing factors in, 35-37

prognosis in, 43-44

treatment of, 43

gut in, 80, 82

immune defense studies, 82, 84

luminal starvation of, 80

pathophysiology of NPO and, 80

Nephropathy, herbs causing, 315

Nesiritide (Natrecor), clinical pharmacology of, 462-463

in combination regimens, 464

contraindications to, 464

dosing and administration of, 463

key points for use of, 464

safety profile of, 463

as therapeutic tool, 463

Neurohormonal activation, digoxin in, 447

meaning of, 413

pharmacologic effects of, 447

in ventricular remodeling, 407, 409-410,

**413-421**

aldosterone, 415-417

natriuretic peptides, 417-419

norepinephrine, 416-417

- renin-angiotensin system, 413-415, 417
  - vasopressin, 418
  - Neurohormones, renal and cardiovascular effects of, 417
  - Neurologic system, in sepsis, 30
  - Neutropenia, in cancer patient, absolute neutrophil count and, 110
    - care guidelines for, 114
    - central venous catheter care in, 113
    - chemotherapy-associated, 110
    - colony-stimulating factors for, 114-115
    - infection and, guidelines for persistent fever, 116-117
    - treatment algorithms for, 115-116
    - infections associated with, 110-111
    - laboratory assessment of, 112-113
    - prophylactic antibiotic therapy for, 113-115
    - radiotherapy-associated, 110
  - Nightingale, Florence, definition of disease, 295
  - Nitric oxide (NO), in septic shock, 18
  - Noise, reduction of, for healing environment, 298
    - for sleep promotion, 336
  - Norepinephrine, definition of, 416
    - in heart failure, pathophysiologic consequences of, 416-417
    - mechanisms of, 416
  - Nosocomial infections, and plants in acute care units, cut flowers and, 120-121
    - potted plants and, 120
    - recommendations regarding, 122-123
    - survey of policies and procedures for, 121-122
    - risk factors for, 119-120
  - Nursing curricula, inclusion of complementary and alternative therapies in, 373
  - Nursing presence. *See Presence.*
  - Nursing Summit, on complementary and alternative therapies, content foci in, 388-389
    - goal of, 389
    - impetus for, 388
    - implications for critical care nursing, 389
    - participants in, 391
    - recommendations of, 389-390
- O**
- Objibwe tribe, health beliefs and practices of, 343
  - Office of Alternative Medicine, 290, 295
  - Ofloxacin, in pelvic inflammatory disease, 65
  - Omega-3-fatty acids, in enteral nutrition, in sepsis, 77
  - Operating room, in expeditionary medical support hospital, in Operation Enduring Freedom, 203
    - for forward surgical team, 193
    - on hospital ship, 187
    - in operation Desert Shield/Desert Storm, 211-212
  - Operation Desert Shield/Desert Storm
    - anesthesia in, machine for, 211
    - total intravenous, 212
    - ventilators for, 211-212
    - army forward surgical team in, 195-196
    - buildup to hostilities, 212
    - bunkers in, 212-213
    - critical care air transport team in, 225
    - Navy hospital ships in, 184
    - navy nurse anesthetists, fleet hospital five, 207-214
    - onset of war, 212-213
    - operating room and, 211-212
    - prelude to end, 213
    - setting considerations in, communication, 211-212
    - heat, 210
    - oxygen, 210-211
    - water, 210
  - Operation Desert Storm, 262
  - Operation Enduring Freedom, 201-206
    - army forward surgical team in, 195-196
    - critical care air transport team in, 224
  - Operation Houston, 199-201
  - Operation Joint Endeavor, critical care air transport team in, 225
  - Operation Just Cause, army forward surgical team in, 195
  - Operation Noble Eagle, Navy hospital ships in, 184
  - Operation Restore Hope, 260, 262
  - Operation Sea Signal, Navy hospital ships in, 184, 186
  - Operation Uphold Democracy, army forward surgical team in, 195-196
    - Navy hospital ships in, 184
  - Organ system dysfunction, in sepsis, 21, 28-30
- P**
- Pain control, in end-of-life comfort care, 358
  - Palliative care, in heart failure, outpatient management of, 507-508

- Patient education, biventricular pacing and, 479  
in diastolic heart failure, 499  
in heart failure, outpatient management of, 505  
quality of life and, 513
- Peace keeping/making missions, description of, 259
- Peace making/peace keeping missions, **259-266**  
candidates for care, 263  
coordination of care in, with other nations, 263-264  
levels of medical support in, 260-262  
medical planning for, 260  
military doctrine and, 259-260  
nursing roles in, 262-263  
soldiering skills in, 262  
training for, 263-265  
unit requirements in, 262
- Pelvic inflammatory disease, diagnosis of, 65  
incidence of, 63  
overview and description of, 63-64  
sepsis and, 66  
case study of, 68-69  
complications of, 68  
management of, 68-69  
organisms associated with, 66-68  
treatment of, inpatient, 65-66  
outpatient, 65
- Pentagon disaster, ground zero response team in, 144  
recommendations and strategies in,  
communication, 146  
community involvement, 146  
disaster plan fundamentals, 145  
function without external support, 145-146  
internal postcommunication, 147  
organization of staff and volunteers, 146  
respond to facts not rumor, 146  
stress management/debriefing, 146-147  
Virginia Hospital Center-Arlington in, patient arrival, 145  
preparation in, 143-144  
response of, 144  
triage in, 145
- Personal protection equipment (PPE), full, 254  
level-A, 241-242  
level-C, 245
- Pet therapy, in end-of-life comfort care, 359-360  
for healing environment, 298
- Phosphodiesterase inhibitors, with beta-blockers, 444
- Plants, in transmission of infection, **119-124**
- Platelet-activating factor (PAF), in septic shock, 18
- Postanesthesia care unit (PACU), on hospital ship, 187
- Postoperative care unit (PCU), for forward surgical team, 193
- Potassium supplements, with ACE inhibitors, in heart failure, with renal insufficiency, 459
- Preadesthesia, complementary and alternative therapies use and, survey of, 307-309  
complementary and alternative therapy and, risks with, 308
- Presence, in compassionate care, 299-300  
in end-of-life comfort care, 358  
of family, as complementary and alternative therapies, 349  
for family comfort, with dying process, 361
- Pressure ulcers, prevention of, on NATO litter, 175-177
- Progressive muscle relaxation (PMR), for sleep promotion, 335  
for stress and anxiety reduction, 325-326
- Prolonged rupture of fetal membranes (PROM), and neonatal sepsis, 36
- Prostaglandins, in septic shock, 19
- Proteinuria, in heart failure, diuretic management and, 456
- Pseudomonas, in bacterial sepsis, neonatal, 42
- Pulmonary edema, in left ventricular diastolic dysfunction, 499
- 
- ## Q
- Quality of life, definition of, 511  
domains of, in chronic illness, 512-513  
in heart failure, function and health issues and, 513  
issues in, family, 515-516  
psychologic, 515  
social and economic, 515  
spiritual, 515  
multidisciplinary management of, 514  
patient adjustment to, 512  
perceptions of, 511-512  
self-care, patient education and, 513-514  
heart failure and, **511-517**
- 
- ## R
- Relaxation. See also *Progressive muscle relaxation (PMR)*.  
for sleep promotion, 335



- Renal system, in heart failure, diuretic management and, 456  
in sepsis, 29
- Renin-angiotensin system, in heart failure, 414-415, 423-424  
in ventricular remodeling, 413-415, 417
- Respiratory system, in sepsis, 29  
in infants and children, 49

## S

- Self-care, in heart failure, 513  
assessment of, 514  
Self-Management of Heart Failure assessment of, 514
- Sepsis. See also *Bacterial sepsis*; *Septic shock*.  
assessment and management of, 27-34  
in cancer patient, immunosuppression-related, 109-118. See also *Immune system deficiency(ies)*.  
in children, stress in families of, 47-53  
clinical signs of, 27-28  
cytokines in, 14-20  
definitions of, 13-14  
incidence of, in adults, 13-14  
in infants and children, nursing interventions for, family involvement in, 52-53  
macronutrient metabolism in, 75  
malnutrition and, 71-78  
in newborns and children  
clinical manifestations of, 48-49  
early enteral therapy for, 50  
family stress in, distance from home to hospital and, 51  
nursing care and, 51-52  
family systems theory and, in nursing practice, 50-51  
gender differences in, 47  
incidence of, 47-48  
laboratory assessment of, 48, 50  
signs and symptoms of, 49  
supportive treatment of, 50  
nursing interventions in, 30-31  
nutritional supplementation in, enteral, 75-77  
organ systems in, 28-30  
pelvic inflammatory disease and, 63-70  
prevention of, infection control in, 31  
severe, definitions of, 13-14  
organ system dysfunction in, 28-30  
sex differences in, 55-62  
autoimmune disease and, 59-60  
exposure and portals of entry, 58-59  
following thermal injury, 59  
immune system and, 55  
immunizations and, 55-56  
sex hormones and, 56-57  
shock and, 60-61  
SIRS criteria for, 27-28  
starvation in, 75  
treatment advances in, 31-32  
in women, in childhood/prepuberty, 57-58  
in menopause, 58  
menstrual cycle and, 57  
in pregnancy, 58
- Septic shock. See also *Sepsis*.  
cellular basis of, 13-25  
antibiotic therapy and, 22-23  
cellular basis of, cardioascular and hemodynamic, 21  
circulatory support in, 22-23  
clinical pathophysiology and management and, 21-24  
cytokines in, 14-20  
pathophysiologic mechanisms in, clinical responses and, coagulation, 20-21  
endothelial, 20  
relationship to multiple organ dysfunction syndrome, 21  
pulmonary support in, 23-24  
cellular response in, to cytokines and mediators, 16-19  
definitions of, 13-14  
in infants and children, nursing interventions for, family involvement in, 52-53
- Sex hormones, differences in, infection and sepsis and, 56-57
- Shipboard nursing, history of, 227
- Shock, sepsis and, 60-61
- Skin, infections in, in heart transplant recipient, 102-103
- Sleep, complementary and alternative therapies  
promotion of, 329-340  
disruption of, alternative sedatives for, 337  
anxiety and, 331  
aromatherapy for, 334-335  
in critically ill patients, 329  
environment and, 330  
illness and medications and, 330  
interventions for, 331-337  
light reduction for, 336  
massage for, 331, 334  
music therapy for, 334  
noise reduction for, 336

- relaxation techniques for, 335
  - therapeutic touch for, 335-336
  - normal patterns of, 330
  - Small portable expeditionary aeromedical rapid response (SPEARRR) team, components of, 198
  - recommendations for, 198-199
  - subset of expeditionary medical support, 198-199
  - testing of, 198
  - SMART-CB. See *Special Medical Augmentation Response Team-Chemical/Biological (SMART-CB)*.
  - Social issues, heart failure patient and, 515
  - Solid organ transplantation patients, complementary and alternative therapy use by, 307, 309
  - SPEARRR team. See *Small portable expeditionary aeromedical rapid response (SPEARRR) team*.
  - Special Medical Augmentation Response Teams (SMARTs), SMART-CB, Army, 253
    - training for Army nurses, 254-255
    - Walter Reed Army Medical Center, 253-254
  - Spiritual care, in end-of-life comfort care, 357
  - Spiritual environment, creation of, 299
  - Spiritual issues, of heart failure patient, 515
  - Spironolactone, interaction with digoxin, 450
  - St. John's wort (*Hypericum perforatum*), serotonin syndrome with, 317
  - Staphylococcus, in bacterial sepsis, neonatal, 40-41
  - Streptococcus, in bacterial sepsis, neonatal, 40
  - Stress, complementary and alternative therapy
    - reduction o321-327f
    - of critical care environment, 393-394
    - in critical care patient, 321-322
    - definition and occurrence of, 321
  - Stress response, 321
    - in patients' families, 348
  - Stretcher isolator (SI), for biological safety level-4, 243-245
  - Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatment (SUPPORT), at end of life, 355-356
  - Suctioning, during air transport, 178
    - at altitude, effect on pressure and flow, 178
    - prevention of hypoxemia from, 178
  - Surface Warfare Medical Department Officer (SWMDO), qualifications for, 236
  - training for, 235-236
  - Surgical wound infection, diabetes mellitus and, 130-133
  - Synergy Model, of certified practice, 299
  - Systemic inflammatory response syndrome (SIRS),
    - cytokine role in, 14-19
    - cytokines in, role of, 14-20
    - definitions of, 14
- 
- ## T
- 
- Telemanagement, in heart failure, outpatient management of, 507
  - TEMPER (tents, extendable, modular, personnel) tents, 207-209
  - Therapeutic touch, for anxiety, 336
    - description of, 335-336
    - in end-of-life comfort care, 359
    - by family, 349
    - for family, 352
    - for relaxation and sleep promotion, 336
  - Thermal stress, during air transport, on C-141 Starlifter, 179-180
    - on transport aircraft C-130 Hercules, 178-179
  - Thermoregulation, in heat illnesses, 163
  - Thromboxane A<sub>2</sub>, in septic shock, 19
  - Touch, in end-of-life comfort care, 358-359
  - Trandolopril, in heart failure, 427, 433
  - Transplant patients, solid organ, complementary and alternative therapies use and, survey of, 307, 309
  - Trauma care, military *versus* civilian, 210
  - Triage, on flight deck, 186
  - TriService Nursing Research Program (TSNRF), 171, 173-175
    - focus areas of, 173
    - mission of, 173
    - support of military relevant and unique research, 173-175
  - Tumor necrosis factor alpha (TNF $\alpha$ ), in septic shock, 19
- 
- ## U
- 
- United States Air Force (USAF), aeromedical evacuation and critical air transport, 215-226
    - Medical Service, mission of, 180
    - Nursing Warskills Simulation Laboratory, 156-158

- cognitive test evaluation of, 159-160  
critical thinking coaching in, 157, 159  
description of, 156-157  
evaluation of, 157-159  
human patient simulator in, 156-158  
ongoing research at, 160-161  
supplies in, 156-158  
training and evaluation scenarios in, 155-156  
ready response teams of, **197-206**
- US Army Medical Command (USAMC), Special Medical Augmentation Response Teams, 252-253
- US Army Medical Research Institute of Infectious Diseases (USAMRIID), 239
- US Navy combatant ships. See also *Hospital ships*.  
aircraft carriers, 228-230  
amphibious assault ships, 229-234  
assignment to, selection criteria for, 230-231  
Carrier Battle Group, 228  
critical care nurse on, on aircraft carrier *versus* amphibious assault ship, 232-233  
roles and responsibilities of, 231-232  
daily life on, 233-235  
forward surgical team on, 232-233  
Navy Corpsmen on, 235  
nursing on. See also *Shipboard nursing*.  
leadership and teamwork in, 235  
non-nursing duties and, 235  
occupational hazards on, 234  
time at sea, 233-234  
workday on, 235
- USS Comfort, 183-184, 185
- USS Intrepid, 183
- USS Mercy, 183-184, 185
- 
- V**
- Valerian (*Valeriana officinalis*), drug interactions with, 317  
for sleep, 337
- Vasopressin, in heart failure, pathophysiologic consequences of, 418
- Ventricular remodeling, **407-422**  
collagen scar in, 409  
cytokine release in, 409  
early phase post-MI, 408  
endothelin-1 in, 409  
factors influencing, 409-410  
immediate, 407-408  
index events preceding, 407  
myocyte hypertrophy in, 408-409  
progression of, 410  
ventricular geometry and, 481
- 
- W**
- Walter Reed Army Medical Center, SMART-CB, 253-254
- Ward, on hospital ship, 188
- Warfarin, herb interactions with, 316-317
- White House Commission on Complementary and Alternative Medicine Policy (WHCCAMP), 290, 382  
and nursing, 383-384
- Wilford Hall Medical Center, critical care in military unique environment, **171-181**  
military research projects from, 172-173, 175-180  
cardiopulmonary resuscitation, on NATO litter, 180  
chest tube drainage, 175-176  
dehydration prevention, 177  
environmental effect on patient, 178  
environment in practice of care, 175  
hemodynamic monitoring, in aeromedical evacuation environment, 178  
prevention of hypoxemia at altitude, suctioning-induced, 178  
skin pressure with NATO litter, 175-177  
thermal stress and human response, 178-180  
TriService Nursing Research Program funding for, 171, 173  
US Airforce Nursing Warskills Simulation Laboratory in, response readiness study, **149-162**
- 
- X**
- Xenotransplantation, heart, 492-593
- 
- Y**
- Yohimbine, hypertensive effects of, 315

